

Date received: 14/06/19

Date of issue: 09/09/19

Report consists of 7 test reports.

Defects before testing: None

Sample name: SEDUTA EVE

IVARS S.P.A.

VIA GARGNA' 23/A 25078 VESTONE (BS)

ITALIA

SAMPLE N° 273582

Overall dimensions: 700 x 700 x 1170 (h) mm

List of test reports:

- 1. Office work chair: dimensions EN 1335-1:2000 AC:2002
- 2. General design requirements EN 1335-2:2018, clauses 4.1 4.2
- 3. Information for use EN 1335-2:2018, clause 6
- 4. Work chairs: seat and back static load test EN 1728:2012+AC:2013
- 5. Work chairs: seat and back durability EN 1728:2012+AC:2013
- 6. Stability EN 1022:2018, clause 7.3
- 7. Work chairs: rolling resistance of unloaded chair EN 1728:2012+AC:2013



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

ging Director ndrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.



SAMPLE N° 273582

Date of issue: 09/09/19

Sample weight: Not determined Sample name: SEDUTA EVE



Side view



Bottom view



Rear view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

273582 / 1

Revision: 0

 Date received:
 14/06/19

 Date of test:
 05/07/19

 Date of issue:
 09/09/19

Sample name: SEDUTA EVE



IVARS S.P.A. VIA GARGNA' 23/A 25078 VESTONE (BS) ITALIA

Office work chair: dimensions EN 1335-1:2000 AC:2002

1. General features

1.1 Seat

adjustable with depht: - horizontal movement

x fixed

inclination: - fixed

x adjustable

1.2 Backrest

heigth: - fixed

x adjustable

- adjustable lumbar support

inclination: - fixed

x adjustable

1.3 Seat and back syncronyzed

Yes

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems

signature systems.

Managing Director Dt. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 273582 / 1 rev. 0

Date of issue: 09/09/19
Sample name: SEDUTA EVE

Type of chair: B

Test Results:

All linear dimensions are in mm

symbol	r dimensions are in mm Parameter	roquiromont	measured	conformity
Symbol	SEAT	requirement	measureu	Cornorring
а	seat height	420 to 510	413 to 537	yes
	adjustment range	100 min	125	yes
b	seat depth - non adjustable	380 ÷ 440	404	yes
	seat depth - adjustable	400 to 420	/	/
	adjustment range	50 min	/	/
С	depth of seat surface	380 min	441	yes
d	seat width	400 min	456	yes
е	inclination of seat surface - non adjustable	-2° ÷ - 7°	/	/
	inclination of seat surface - adjustable	-2° to - 7°	-1,0° ± 0,6° a -11°	yes**
	BACK REST			
f	height of the back supporting point "S" non adjust.	170 ÷ 220	/	/
	height of the back supporting point "S" adjust.	170 to 220	156 to 231	yes
	adjustment range	50 min	74	yes
g	height of the back pad - adjustable in height	220 min	507	yes
	height of the back pad - non adjustable in height	260 min	/	/
h	height of the upper edge of the back rest	360 min	547	yes
i	back rest width	360 min	425	yes
k	horizontal radius of the back rest	400 min	> 500	yes
1	back rest inclination (adjustment range)	15° min	24°	yes
	ARM REST			
n	length of arm rest	200 min	/	/
0	width of arm rest	40 min	/	/
р	height of armrest - adjustable	200 to 250	/	/
	height of armrest - non adjustable	200 ÷ 250	/	/
q	distance from the front of the arm rest to the front edge of the seat	100 min	1	/
r	clear width between the arm rests	460 ÷ 510	/	/
	UNDERFRAME			
S	maximum offset of the underframe	415 max	386	yes
t	stability dimension	195 min	255	yes

^{*}The result is the average of 3 measures

Unless otherwise specified, measurement uncertainties expanded to a confidence level of about 95% are ± 5 mm for linear measures, $\pm 2^{\circ}$ for angles, ± 10 mm for the height of the back supporting point "S"."

The measurement uncertainties stated in this document have been determined according to UNI CEI 70098-3:2016. They were estimated as expanded uncertainty obtained by multiplying the standard uncertainty by the coverage factor k corresponding to a confidence level of about 95%. Normally k=2.

NOTE: the back supporting point has been determined by setting the back rest in its most upright position because the method described in EN 1335-1:2000 clause 3.6 is not applicable.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 273582 / 2

Revision:

Date received: 14/06/19 Date of test: 05/07/19 Date of issue: 09/09/19

Sample name: SEDUTA EVE



IVARS S.P.A. VIA GARGNA' 23/A 25078 VESTONE (BS) **ITALIA**

General design requirements EN 1335-2:2018, clauses 4.1 - 4.2

Requirements	Remarks
Clause 4.1	
a) Edges of seat, back rest and arm rests in contact by the user are rounded ≥ 2 mm	Yes
b) Edges of handles are rounded or chamfered in the direction of the force applied	Yes
c) All other edges and corner are free from burrs and rounded or chamfered	Yes
d) Ends of accessible hollow components are closed or capped	Hollow components not present
Clause 4.2	
Absence of shear and squeeze points, created by parts operated by powered mechanism.	Yes
Absence of shear and squeeze points, created by loads applied during normal use.	Yes

The test results comply with the requirements in clauses 4.1 and 4.2 of EN 1335-2:2018

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic

Managing Director Dr. Andrea Giavon

signature systems.

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 273582 / 3

Revision:

Date received: 14/06/19 Date of test: 06/09/19 Date of issue: 09/09/19

Sample name: SEDUTA EVE



IVARS S.P.A. VIA GARGNA' 23/A 25078 VESTONE (BS) ITALIA

Information for use EN 1335-2:2018, clause 6

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user.	Italian language
a) Information regarding the intended use.	Present
b) Information regarding possible adjustments	Present
c) Instruction for operating the adjusting mechanisms.	Present
d) Instruction for the care and the maintenance of the chair.	Present
e) Information for chairs with seat height adjustements with energy accumulators that only trained personnel may replace or repair seat height adjustement components with energy accumulators.	Present
f) Information on the choice of castors in relation to the floor surface.	Present

The test results do not comply with the requirements in clause 6 of EN 1335-2:2018

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic

signature systems.

Managing Director Dr Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and ho others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 273582 / 4

Revision:

Date received: 14/06/19 Date of test: 04/07/19 Date of issue: 09/09/19

Sample name: SEDUTA EVE



IVARS S.P.A. VIA GARGNA' 23/A 25078 VESTONE (BS) **ITALIA**

Work chairs: seat and back static load test EN 1728:2012+AC:2013

Test performed according to EN 1335-2:2018

Seat and back static load test, clause 7.3 of EN 1728:2012+AC:2013

Seat height: highest position

Seat inclination: horizontal

Back rest in height highest position

Back rest in depth

Position of castors perpendicular to the base arms

Tension of mechanism spring: medium

Test results:

Seat load N	Back force N	Number of cycles	Loading point	Back rest inclination mechanism	Remarks
1.600	560	5	A - B	Blocked	No defects
1.600	560	5	A - B	Unlocked	No defects

Seat front edge static load, clause 7.4 of EN 1728:2012+AC:2013

Seat height: highest position

Seat depth: /

Test results:

Seat load N	Number of cycles	Back rest inclination mechanism	Remarks
1.600	10	F	No defects

The test results comply with the requirements in clause 5.2 of EN 1335-2:2018

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic

signature systems.

lanaging Director r. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT **273582 / 5**

Revision: 0

 Date received:
 14/06/19

 Date of test:
 05/07/19

 Date of issue:
 09/09/19

Sample name: SEDUTA EVE



IVARS S.P.A. VIA GARGNA' 23/A 25078 VESTONE (BS) ITALIA

Work chairs: seat and back durability EN 1728:2012+AC:2013

Test performed according to EN 1335-2:2018

Seat and back durability clause 7.9 of EN 1728:2012+AC:2013

Seat height: highest position

Seat inclination: horizontal

Back rest in height highest position

Back rest in depth /

Position of castors perpendicular to the base arms

Tension of mechanism spring: medium

Test results:



Number of cycles	Loading point	Force N	Back rest inclination mechanism	Remarks
120.000	Α	1.500	Unlocked	No defects
40.000	C B	1200 320	Locked	No defects
40.000	C B	1200 320	Unlocked	No defects
20.000	J E	1200 320	Unlocked	No defects
20.000	F H	1200 320	Unlocked	No defects
20.000	D G	1100 1100	Unlocked	No defects

The test results comply with the requirements in clause 5.2 of EN 1335-2:2018

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and so others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT **273582 / 6**

Revision: 0

 Date received:
 14/06/19

 Date of test:
 03/09/19

 Date of issue:
 09/09/19

Sample name: SEDUTA EVE



IVARS S.P.A. VIA GARGNA' 23/A 25078 VESTONE (BS) ITALIA

Stability EN 1022:2018, clause 7.3

Type of chair: tilting

Positioning of chair components: as specified in Table 1 of EN 1022:2018

Loads and masses according to table B1 of EN 1022:2018, ammex B

Forwards overturning

Forwards overturning, clause 7.3.1 : does not overturn

Forwards overturning for seating with foot rest, clause 7.3.2 : /

Corner stability, clause 7.3.3 : does not overturn

Sideways overturning

Sideways overturning, all seating without arm rests, clause 7.3.4 : does not overturn

Seating with arm rests, clause 7.3.5.2 : /
Seating with raised side edges, clause 7.3.5.3 : /

Rearwards overturning

Rearwards overturning all seating with back rests, clause 7.3.6

Minimum force required: 143 N : does not overturn

Tilting seating, clause 7.4.2 : does not overturn

Reclining seating with leg rest, clause 7.4.3 : /
Reclining seating without leg rest, clause 7.4.4 : /
Rearwards stability test for rocking chairs, clause 7.4.5 : /

The test results comply with the requirements in clause 4.4 of EN 1335-2:2018.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr Andrea Glavon

The sample name and, when relevant its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 273582 / 7

Revision:

Date received: 14/06/19 Date of test: 03/09/19 Date of issue: 09/09/19

Sample name: SEDUTA EVE



IVARS S.P.A. VIA GARGNA' 23/A 25078 VESTONE (BS) **ITALIA**

Work chairs: rolling resistance of unloaded chair EN 1728:2012+AC:2013

Test performed according to EN 1335-2:2018

Rolling resistance of unloaded chair, clauses 6.30 and 7.14 of EN 1728:2012+AC:2013

Type of castors:

Test surface: steel floor Test speed: 50 mm/s

Seat height: lowest position

Test results:

Measured resistance of castors N	Minimum allowed resistance N	Remarks	
22,6	12	No defects	

Unless otherwise specified, measurement uncertaintie expanded to a confidence level of about 95% are ±2,0 N.

The measurement uncertainties stated in this document have been determined according to UNI CEI ENV 13005:2000. They were estimated as expanded uncertainty obtained multiplying the standard uncertainty by the coverage factor k corresponding to a confidence level of about 95%. Normally k=2

The test results comply with the requirements in clause 5.2 of EN 1335-2:2018

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic

naging Director Andrea Giavon

signature systems.

The sample name and, when relevant its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.