

CATAS S.p.A. lscr. Reg. Imprese Udine nr. iscr. C.F. 01818850305 Reg. Impr. UD 20663 P. IVA: 01818850305 C.Soc. 6 984.250,00 i.v.

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com Filiale: Via Braille, 5 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

Declaration of conformity

n° 11951 / 2017

According to the results of the following tests:

ΕN	16139	test report n. 240925-	1/2017
ΕN	16139	test report n. 240925-	2/2017
ΕN	1728	test report n. 240925-	3/2017
ΕN	1728	test report n. 240925-	4/2017
ΕN	1728	test report n. 240925-	5/2017
ΕN	1728	test report n. 240925-	6/2017
ΕN	1728	test report n. 240925-	7/2017
ΕN	1728	test report n. 240925-	8/2017
ΕN	1728	test report n. 240925-	9/2017
ΕN	1022	test report n. 240925-	10/2017

we hereby testify that



Sedia QUICK

of company
CERANTOLA S.P.A. - VIA GIORGIONE 2-ZONA IND.LE - 31037 RAMON DI LORIA (TV)ITALIA

complies with the strenght, durability and safety requirements of 1st level of EN 16139:2013

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Il Direttore ipt∕Andrea Giavon

December 5th, 2017



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com

Date received:

07/11/17

Date of issue:

05/12/17

Report consists of 11 test reports.

Defects before testing: None

Sample name:

QUICK chair

CERANTOLA S.P.A.

VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV)

ITALIA

SAMPLE N° 240925

Overall dimensions: 550 x 520 x 800 (h) mm

List performed tests:

- 1. Safety requirements EN 16139:2013+AC:2013 2. Information for use EN 16139:2013+AC:2013
- 3. Seat and back static load test EN 1728:2012+AC:2013
- 4. Vertical load on back rest EN 1728:2012+AC:2013
- 5. Seat and back fatigue test EN 1728:2012+AC:2013
- 6. Seat front edge durability test EN 1728:2012+AC:2013
- 7. Leg forward static load test EN 1728:2012+AC:2013
- 8. Leg sideways static load test EN 1728:2012+AC:2013
- 9. Seat impact test EN 1728:2012+AC:2013
 10. Back impact test EN 1728:2012+AC:2013
- 11, Stability EN 1022:2005



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

aging Director Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com

SAMPLE N° 240925

Date of issue:


05/12/17

Sample weight:


Not determined

Sample name:


QUICK chair



Side view



Bottom view



Rear view



Testing site:
via Braide Matte, 4
33048 San Giovanni al Natisone (UD)
tel. +39 0432 747211
lab@catas.com



LAB N° 6027 Wombro degli VRA EA IAF e ILAC

TEST REPORT 240925 / 1

Date received:

Date of test:

Date of issue: 05.

Sample name:

1 07/11/17 14/11/17

05/12/17 QUICK chair CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Safety requirements EN 16139:2013+AC:2013

Safety requirements clause 4 Statement checked Remarks Corner and edges in contact with the users: · Absence of sharp edges and corners Yes Edges on the handles: · Absence of sharp edges and corners in the direction of the force Handles not present Other edges: · Absence of sharp edges and corners Yes Accessible hollow components: The ends of hollow components are closed or capped Yes Movable and adjustable parts: · It shall not be possible for any movable and adjustable part of the Movable and adjustable parts chair to come operate unintentionally. not present Connections between parts of the structure: · It shall not be possible for any load bearing part of the seating No to come loose unintentionally Parts which are lubricated: · All the parts which are lubricated shall be designed to protect users Lubricated parts not present Shear and squeeze points between movable parts ≥ 7 mm ≤ 18 mm: Shear and squeeze points under influence of powered mechanism Mechanism not present Shear and squeeze points during normal use and during normal No movements and actions Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013: YES

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andréa Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB Nº 0027 Ventto degli ura ea lag e ilag

TEST REPORT 240925 / 2

Date received:

07/11/17

Date of test:

05/12/17 05/12/17

Date of issue: Sample name:

QUICK chair

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Information for use EN 16139:2013+AC:2013

Information for use clause 7

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user	Italian and English languages
Information regarding the intended use (Annex B of EN 16139:2013)	Present
Instruction for operating the adjusting mechanisms, where applicable	Not applicable
Assembly instructions, where applicable	Not applicable
Instruction for the care and the maintenance of the chair	Present
Information on the choice of castors in relation to the floor surface if the chair is fitted	Castors not present
Advice that only trained personnel may replace or repair seat height adjustment components with energy accumulators if the chair is fitted	Seat height adjustment not present

Conformity to clause 7 of standard EN 16139:2013:	YES
<u> </u>	

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli NRA EA IAF e ILAC

TEST REPORT

240925 / 3

Date received:

07/11/17

Date of test:

14/11/17

Date of issue:

05/12/17

Sample name:

QUICK chair

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Seat and back static load test EN 1728:2012+AC:2013

Seat and back static load test, clause 6.4

Test results:

Seat load N	Back force Number of cycles		Remarks
1.600	560	10	No defects

Seat front edge static load, clause 6.5

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director DivAndrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Pemtro degli Wra EA LAF e ILAC

TEST REPORT

240925 / 4

Date received:

07/11/17

Date of test:

14/11/17

Date of issue:

05/12/17

Sample name:

QUICK chair

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Vertical load on back rest EN 1728:2012+AC:2013

Vertical static load on back rest clause 6.6

Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

thanaging Director



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Mombio 0635 URA EA IMF e ILAC

TEST REPORT

240925 / 5

Date received:

07/11/17

Date of test:

17/11/17 05/12/17

Date of issue: Sample name:

QUICK chair

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Seat and back fatigue test EN 1728:2012+AC:2013

Seat and back fatigue test, clause 6.17

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	100.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Markeging Director Ar. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Nemtro degli NRA EA IAF e ILAC

TEST REPORT

240925 / 6

Date received:

07/11/17

Date of test:

27/11/17

Date of issue:

05/12/17

Sample name:

QUICK chair

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Seat front edge durability test EN 1728:2012+AC:2013

Seat front edge durability test clause 6.18

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front edge	800	50.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Menaging Director Or, Marea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Vernivo dega ura ea. laf e slac

TEST REPORT

240925 / 7

Date received:

07/11/17

Date of test:

01/12/17 05/12/17

Date of issue: Sample name:

QUICK chair

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Leg forward static load test EN 1728:2012+AC:2013

Leg forward static load test clause 6.15

Test results:

Forward horizontal force N	prizontal force seat force Number of cycles		Remarks
500	1.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Memiso degi ura ea iar e flac

TEST REPORT

240925 / 8

Date received:

07/11/17

Date of test:

01/12/17

Date of issue:

05/12/17

Sample name:

QUICK chair

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Leg sideways static load test EN 1728:2012+AC:2013

Leg sideways static load test clause 6.16

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Marlaging Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB Nº 0027 Ventro degli URA EA, IAF e ILAC

TEST REPORT

240925 / 9

Date received:

07/11/17

Date of test:

01/12/17 05/12/17

Date of issue:
-Sample name:

QUICK chair

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Seat impact test EN 1728:2012+AC:2013

Seat impact test clause 6.24

Test results:

Mass of impactor kg	Height of drop mm	Number of drops	Remarks
25	240	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N' 0027 Vented degà wra ea laf e ilac

TEST REPORT

240925 / 10

Date received:

07/11/17

Date of test:

01/12/17

Date of issue:

05/12/17

Sample name:

QUICK chair

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Back impact test EN 1728:2012+AC:2013

Back impact test clause 6.25

Test results:

Angle	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Remtro degli MRA EA, IAF e ILAC

TEST REPORT

240925 / 11

Date received: Date of test:

07/11/17

Date of issue:

01/12/17 05/12/17

Sample name:

QUICK chair

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) **ITALIA**

Stability - EN 1022:2005

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 163 N

Forwards overturning

Horizontal force

20 N does not overturn

Rearwards overturning

Fixed back chair

Horizontal force

163 N does not overturn

Tilting chair in the rearmost position

Loading discs on the seat

1

Sideways overturning for chairs with arms

Horizontal force

Sideways overturning for chairs without arms

Horizontal force

20 N does not overturn

Forwards overturning for chairs with footrest

Horizontal force

1

Test passed

This document is velidated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

pading Director Andrea Giavon

cerantola 2

CERANTOLA S.P.A.

Via Giorgione , 2 z.l. - 31037 Ramon dl Loria (TV) - Italy T +39 0423 755013 - F +39 0423 755152 R.E.A. TV 190527 - Reg. Imp. TV n. 02143740260 C. Id. IVA CEE n: IT 0214374026 Capitale Sociale Euro 120.000,00 l.v. e.mall: into@cerantola.com - website: www.cerantola.com

COLOS

e.mail: info@colos.it - website: www.colos.it

ISTRUZIONI D'USO SEDIA QUICK

Al fine di garantire la stabilità e la durata nel tempo dell'articolo, si consiglia di:

- Prima dell'uso assicurarsi che l'articolo sia assemblato correttamente.
- Non rimuovere alcun componente della sedia manualmente o tramite l'utilizzo di utensili.
- Verificare che il prodotto venga utilizzato con la base della struttura metallica appoggiata al pavimento e che lo stesso non consenta scivolamento.
- Non fare oscillare il prodotto durante l'utilizzo.
- Non sedersi sulla spalliera, sui braccioli o sulla tavoletta (se presenti)
- Non salire con i piedi e/o con le ginocchia sulla sedia
- Per spostare l'articolo, evitare il trascinamento.
- Evitare il contatto con fonti di calore.
- Il prodotto non è adatto ad uso esterno, anche se coperto, con struttura cromata.
- Si possono impilare fino a 15 sedie.
- Le sedie vanno movimentate dallo schienale o dai braccioli.

CONSIGLI DI MANUTENZIONE

- I liquidi rovesciati devono essere assorbiti immediatamente con un panno pulito ed asciutto.
- Per le parti in plastica utilizzare sapone neutro.
- Per le parti in metallo non usare detergenti ma solo acqua.
- EVITARE TASSATIVAMENTE l'uso di solventi o di detergenti chimici, poiché potrebbero alterare le caratteristiche estetiche e fisiche dell'articolo.

USO PREVISTO

- Seduta per casa / ufficio
- Seduta per sale attesa
- Seduta per comunità/scuole
- Seduta per ristorazione/ HORECA

CERANTOLA SPA

cerantola@

CERANTOLA S.P.A.

Via Giorgione , 2 z.l. - 31037 Ramon di Loria (TV) - Italy T +39 0423 755013 - F +39 0423 755152 R.E.A. TV 190527 - Reg. Imp. TV n. 02143740260 C. Id. IVA CEE n: IT 0214374026 Capitale Sociale Euro 120.000,00 l.v. e.mail: InIo@cerantola.com - website: www.cerantola.com

COLOS

e.mall: Info@colos.it - website: www.colos.it

QUICK USE INSTRUCTION

In order to guarantee the product solidity and duration, we suggest to:

- Before use make sure of the product's correct assembly
- Do not remove any components from the chair manually or by using tools
- Check that the 4 legs are completely leant to the floor and the floor does not allow any sliding of the chair;
- Do not swing the chair while using;
- Do not sit on the backrest, on the arms or writing tablet (If present)
- Do not stand on your feet or your knee on the chair
- Do not drag the chair, while moving it;
- Avoid any contact with heat sources;
- The chair is not suitable for outdoor use, even if covered, with chrome frame
- Stackable till 15 chairs
- Chairs must be moved from the backrest or from the arms

MAINTENANCE ADVICES

- In case of liquid reversal on the chair surface clear immediately by using a clean and dry cloth;
- For plastic parts use only mild soap;
- For metal parts use only water, no soap
- Avoid mandatory the use of chemical solvent or detergent because they might alter the esthetical and physical characteristics of the product

EXPECTED USE

- HOME/OFFICE
- WAITING ROOMS
- CONFERENCE ROOMS/SCHOOL
- HOSPITALITY ROOMS/HORECA